

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	218897	(detect\$3 or sens\$3 or monitor\$3) near7 (intruder or motion or movement or intrusion or theft)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/11 07:55
L2	193613	(pre\$record\$3 or stor\$3 or record\$3) with (sounds or siren or message or voice or animal or bird or dog or bark\$3 or gun or shriek or yell or shout or scresm or growl)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/11 07:58
L3	299	(replica or animat\$3) with (dog or wolf or tiger or lion or bird or leopard or cheeta or hyena or vicious)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/11 08:10
L4	5	1 and 2 and 3 and (warn\$3 or alert\$3 or alarm\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/11 11:49
L5	10	((("6323773") or ("5892446") or ("5760686") or ("5726629") or ("4912457"))).PN.	USPAT; EPO; JPO; DERWENT	OR	OFF	2006/07/11 08:05
L6	0	3 and 5	USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/11 08:06
L7	5	2 and 5	USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/11 08:06
L8	4	1 and 7	USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/11 08:06
L9	10559	(face or head or body) near9 (dog or wolf or tiger or lion or bird or leopard or cheeta or hyena or vicious)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/11 08:11
L10	28	1 and 2 and 9 and (warn\$3 or alert\$3 or alarm\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/11 08:11
L11	65320	(sign or indicat\$3 or posture or animat\$3) near7 (warn\$3 or alert\$3 or alarm\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/11 09:06
L12	17	(4 or 5 or 10) and 11	USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/11 09:13
L13	8	(4 or 5 or 10) and LED	USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/11 09:16
L14	40	(4 or 5 or 10) and (transmit\$4 or emit\$4 or send\$3 or receiv\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/11 09:17

EAST Search History

L15	24	(4 or 5 or 10) and (timer or timing)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/11 09:17
L16	26	(4 or 5 or 10) and (beam or IR or infrared)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/11 09:18
L17	6	(4 or 5 or 10) and ultrasonic	USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/11 10:39
L18	3	(4 or 5 or 10) and batter\$3 and (solar or cell) and (houshold or AC)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/11 09:24
L19	0	1 and 2 and batter3 and (solar or cell) and (houshold or AC)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/11 09:23
L20	0	1 and 2 and batter3 and (solar or cell) and (household or AC)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/11 09:23
L21	0	1 and batter3 and (solar or cell) and (household or AC)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/11 09:23
L22	4	(4 or 5 or 10) and batter\$3 and (solar or cell) and (household or AC)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/11 09:26
L23	38611	((detect\$3 or sens\$3) near3 (light or bright\$4)) and (photocell or photodiode or photoresist\$4)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/11 09:27
L24	1	(4 or 5 or 10) and 23 and (adjust\$3 or chang\$3 or dimm\$4 or bright\$4)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/11 09:30
L25	353	1 and 2 and 23 and (adjust\$3 or chang\$3 or dimm\$4 or bright\$4)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/11 09:51
L26	61	11 and 25	USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/11 09:52
L28	166	1 and 2 and 23 and ((adjust\$3 or chang\$3 or dimm\$4 or bright\$4) near3 (light or lamp))	USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/11 09:55
L29	30	11 and 28	USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/11 09:52
L30	200	1 and 11 and 23 and ((adjust\$3 or chang\$3 or dimm\$4 or bright\$4) near3 (light or lamp))	USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/11 11:47

EAST Search History

L31	2	(4 or 5 or 10 or 30) and (weather near2 (resistance or protection or seal\$3))	USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/11 10:38
L32	1	31 and (plastic or teflon)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/11 10:39
L33	16	(4 or 5 or 10) and (intermit\$3 or interval)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/11 10:39
L34	9508	(barricade or advertis\$3 or road or border or privat\$3 or premises) near2 (sign or post)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/11 11:49
L35	80	1 and 11 and 34 and (warn\$3 or alert\$3 or alarm\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/11 11:52
L36	0	3 and 35	USPAT; EPO; JPO; DERWENT	OR	ON	2006/07/11 11:52

US 5450063 A	Bird avert system	340/573.2	119/713; 340/326; 340/552
US 6554679 B1	Interactive virtual char	446/268	446/297; 463/46
US 6527610 B1	Wearable interactive c	446/175	368/10; 463/48
US 6507353 B1	Influencing virtual actc	715/863	345/419; 345/420; 715/751; 715/
US 6351698 B1	Interactive vehicle cor	701/51	340/988; 701/209; 701/211

L4

US 6249278 B1	Modular dynamic dial	345/204	40/415; 40/455
US 6127926 A	Intrusion sensing syst	340/541	340/522; 340/528; 340/552; 340/5
US 6118458 A	Image displaying app	345/473	
US 20040061614 A	Alerting device for use on gates and fences of homes and buildings		
US 6723055 B2	System for measuring	600/538	
US 6633295 B1	Image displaying app	345/475	
US 6584377 B2	Legged robot and me	700/245	318/561; 318/568.1; 318/568.11;
US 6535159 B1	Immersion object dete	342/27	340/552; 342/107; 342/28
US 6535131 B1	Device and method fo	340/573.1	340/573.2; 340/573.3; 704/273
US 6487992 B1	Dog behavior monitori	119/712	
US 6476730 B2	Assistant apparatus a	340/932.2	340/435; 340/903
US 6401029 B1	Assist device in design	701/201	701/211
US 6360615 B1	Wearable effect-emitti	73/862.474	
US 6351698 B1	Interactive vehicle cor	701/51	340/988; 701/209; 701/211
US 6308114 B1	Robot apparatus for d	700/245	340/679; 340/680; 340/683; 340/6
US 6297739 B1	System and method fo	340/573.3	340/572.1; 340/573.1; 340/686.1;
US 6263836 B1	Dog behavior monitori	119/712	
US 6249720 B1	Device mounted in vel	701/1	340/990; 340/995.16; 701/200
US 6204245 B1	Treatment of narcolep	514/11	514/165; 514/179; 514/180; 514/
US 6061071 A	Apparatus for displayi	345/473	
US 6043822 A	Apparatus for displayi	345/619	
US 6037952 A	Image displaying app	345/473	
US 5572646 A	Apparatus for displayi	345/501	345/473
US 5315285 A	Alarm system for sens	340/426.2; 340/425.5; 340/426.26; 340/429;	
US 5178151 A	System for non-invasi	600/485	600/526
US 5117217 A	Alarm system for sens	340/426.2; 307/10.2; 340/309.16; 340/426.1;	
US 4987402 A	Alarm system for sens	704/274	340/309.16; 340/309.9; 340/429;
US 4897630 A	Programmable alarm	340/426.2; 340/309.16; 340/309.8; 340/426.2;	

L10

US 6323773 B1	Alerting device and method	340/573.1 340/522; 340/541; 340/565; 340/5
US 6127926 A	Intrusion sensing system	340/541 340/522; 340/528; 340/552; 340/5
US 6118458 A	Image displaying apparatus	345/473
US 20040061614 A	Alerting device for use on gates and fences of homes and buildings	
US 6633295 B1	Image displaying apparatus	345/475
US 6535131 B1	Device and method for	340/573.1 340/573.2; 340/573.3; 704/273
US 6476730 B2	Assistant apparatus and method	340/932.2 340/435; 340/903
US 6061071 A	Apparatus for displaying	345/473
US 6043822 A	Apparatus for displaying	345/619
US 6037952 A	Image displaying apparatus	345/473
US 5760686 A	Assembly and method for	340/540 340/331; 340/552; 340/907; 340/9
US 5572646 A	Apparatus for displaying	345/501 345/473
US 5315285 A	Alarm system for sensing	340/426.2; 340/425.5; 340/426.26; 340/429;
US 5117217 A	Alarm system for sensing	340/426.2; 307/10.2; 340/309.16; 340/426.1;
US 4987402 A	Alarm system for sensing	704/274 340/309.16; 340/309.9; 340/429;
US 4897630 A	Programmable alarm system	340/426.2; 340/309.16; 340/309.8; 340/426.2
US 6323771 A2, A3	Alerting device for individual safety management in various comparison	

L12

US 6249278 B1	Modular dynamic dialc 345/204	40/415; 40/455
US 5892446 A	Wild animal deterrent 340/573.1	119/720; 340/541; 340/573.2
US 6360615 B1	Wearable effect-emitti 73/862.474	
US 5760686 A	Assembly and methoc 340/540	340/331; 340/552; 340/907; 340/9

L₂₂

US 5971597 A	Multifunction sensor a	700/277	340/540; 340/567; 700/275; 700/276
US 5489891 A	Control means for light	340/567	315/133; 315/155; 315/159; 340/567
US 7061001 B2	Method and apparatus	250/559.4	348/246
US 7050168 B2	Optical measurement	356/407	356/408; 433/29
US 7041063 B2	Noninvasive measurement	600/549	351/219
US 7040039 B1	Clothes dryer with lint	34/529	34/595
US 7030986 B2	Optical measurement	356/405	433/29
US 7012684 B1	Method and apparatus	356/237.5	250/559.44
US 6977722 B2	Assay plates, reader	356/246	
US 6963275 B2	Portable warning light	340/473	362/84
US 6943698 B2	Enhanced visibility traffic	340/907	340/309.16; 340/815.45; 340/908
US 6923769 B2	Method and apparatus	600/485	600/500; 600/504
US 6919803 B2	Low power remote assembly	340/539.1	340/426.19; 340/539.1; 340/540; 340/541
US 6915955 B2	Apparatus for determining	235/462.0	235/462.17
US 6892464 B2	Laser sighting device	33/290	33/286; 33/DIG.21
US 6882416 B1	Methods for continuous	356/237.4	356/237.5
US 6876305 B2	Compact particle sensor	340/630	250/573; 250/574; 250/575; 340/630
US 6870616 B2	Spectrometer apparatus	356/326	
US 6867864 B2	Optical measurement	356/402	433/29
US 6864795 B2	Apparatus for lighting	340/573.1	340/286.07; 340/568.1; 340/573.1
US 6824281 B2	Vehicle accessory module	359/876	359/838; 359/871
US 6822566 B2	Perimeter monitoring system	340/555	250/559.45; 340/556
US 6813032 B1	Method and apparatus	356/601	250/559.22; 250/559.41; 250/559.42
US 6791458 B2	Dual technology occupancy	340/522	340/521; 340/552; 340/555
US 6750971 B2	Optical measurement	356/405	600/127; 600/160
US 6737982 B2	Crib gate position indicator	340/686.1	340/539.15; 340/573.1
US 6721045 B1	Method and apparatus	356/237.5	356/237.4; 438/16
US 6709257 B2	Eyeglass lens forming	425/145	425/174.4; 425/808; 425/DIG.108
US 6707545 B1	Optical signal routing	356/237.5	250/559.45
US 6693708 B1	Method and apparatus	356/237.5	356/237.4; 438/16
US 6675489 B2	Laser sighting device	33/290	250/559.3; 250/559.4; 33/291; 35
US 6658276 B2	Pulse oximeter user interface	600/322	600/323
US 6657183 B2	Amusement system user interface	250/221	250/227.11; 356/41
US 6630995 B1	Method and apparatus	356/237.5	356/237.2; 356/237.3; 356/237.4
US 6625399 B1	Non-linear flash and light	396/263	396/267; 73/170.24

L30